

# SERIES 3

The Series 3 provides retail organizations a secure and effective way to automate their cash deposits throughout the day. Designed to be optimally placed under the counter at point of sale, the Series 3 automates the depositing and recording of cash, while enabling an environment based on greater accountability, transparency, and security.



**TIDEL**  
Quality Cash Solutions



# Tidel Series 3

The **Tidel Series 3** is designed for organizations needing a secure, reliable, and auditable solution to deposit their cash throughout the day. Offering a single or bulk note validator, support for a 1,200 or 2,250 note cassette, and network connectivity, the Series 3 is an ideal solution for customers requiring a proven solution to automate their cash handling processes.

## **Efficient, Simplified Design**

- ▶ All cash management components in one integrated system
- ▶ Easy to use, quick to deploy

## **Outstanding User Experience**

- ▶ 7-inch color console enables simple menu navigation
- ▶ Integrated printer with see-through screen

## **Best in Class Serviceability**

- ▶ Removable validator head enables the clearing of note jams without the need for a service call
- ▶ CPU board and power supply located under console – greatly reducing service call costs

## **Network Connectivity**

- ▶ Easily connects to a store's network – via Ethernet or cellular modem – enabling full visibility to all system transactions from a remote location

## **Note Capacity and Scalability**

- ▶ Supports one note validator – single or bulk note feed
- ▶ Supports one standard (1,200 note) or XL (2,250 note) cassette







|               |                                      |                                    |   |   |  |   |
|---------------|--------------------------------------|------------------------------------|---|---|--|---|
| <b>Model:</b> | <b>Series 3<br/>Single Note Feed</b> | <b>Series 3<br/>Bulk Note Feed</b> | <b>Series 3<br/>Single Note Feed<br/>Single Coin Acceptor</b> | <b>Series 3<br/>Bulk Note Feed<br/>Single Coin Acceptor</b> | <b>Series 3<br/>Single Note Feed<br/>Storage Vault</b> | <b>Series 3<br/>Single Note Feed<br/>Storage Vault<br/>Single Coin Acceptor</b> |
|---------------|--------------------------------------|------------------------------------|---|---|--|---|

### Standard Cassette (1,200 notes)

|                       |                 |                  |                  |                  |                 |                  |
|-----------------------|-----------------|------------------|------------------|------------------|-----------------|------------------|
| <b>Height:</b>        | 27.75" (705 mm) | 27.75" (705 mm)  | 27.75" (705 mm)  | 27.75" (705 mm)  | 27.75" (705 mm) | 27.75" (705 mm)  |
| <b>Width:</b>         | 10.2" (259 mm)  | 10.2" (259 mm)   | 15.6" (396 mm)   | 15.6" (396 mm)   | 10.2" (259 mm)  | 15.6" (396 mm)   |
| <b>Depth: vault</b>   | 15.25" (387 mm) | 24.38" (619 mm)  | 24.38" (619 mm)  | 24.38" (619 mm)  | 15.25" (387 mm) | 15.25" (387 mm)  |
| <b>Depth: overall</b> | 19" (482 mm)    | 28.13" (714 mm)  | 28.13" (714 mm)  | 28.13" (714 mm)  | 19" (482 mm)    | 19" (482 mm)     |
| <b>Weight:</b>        | 88 lbs. (40 kg) | 145 lbs. (65 kg) | 162 lbs. (73 kg) | 162 lbs. (73 kg) | 88 lbs. (40 kg) | 105 lbs. (47 kg) |

### XL Cassette (2,250 notes)

|                |                  |                  |                  |                  |     |     |
|----------------|------------------|------------------|------------------|------------------|-----|-----|
| <b>Height:</b> | 27.75" (705 mm)  | 27.75" (705 mm)  | 27.75" (705 mm)  | 27.75" (705 mm)  | n/a | n/a |
| <b>Width:</b>  | 10.2" (259 mm)   | 10.2" (259 mm)   | 15.6" (396 mm)   | 15.6" (396 mm)   | n/a | n/a |
| <b>Depth:</b>  | 24.38" (619 mm)  | 24.38" (619 mm)  | 24.38" (619 mm)  | 24.38" (619 mm)  | n/a | n/a |
| <b>Depth:</b>  | 28.13" (714 mm)  | 28.13" (714 mm)  | 28.13" (714 mm)  | 28.13" (714 mm)  | n/a | n/a |
| <b>Weight:</b> | 145 lbs. (65 kg) | 145 lbs. (65 kg) | 162 lbs. (73 kg) | 162 lbs. (73 kg) | n/a | n/a |

### HARDWARE FEATURES

- ▶ 7" color console screen
- ▶ Power supply and main CPU board accessible via the console
- ▶ One note validator – single or bulk note feed
- ▶ Support for one standard (1,200 note) or XL (2,250 note) cassette
- ▶ Optional Single Coin Acceptor Module
- ▶ Optional separate storage vault for manual drops
- ▶ Removable note validator head
- ▶ Personal Identification Number (PIN) and/or iButton allows managed access to functions, reports, and instant access
- ▶ Integrated thermal printer
- ▶ RoHS Compliant/CE, UL Certified

### POWER REQUIREMENTS

120 VAC 60Hz or 220 VAC 50Hz


### SOFTWARE FEATURES

- ▶ Includes a complete cash management application
- ▶ All activity auditable to an individual user through the use of PINs
- ▶ Can be connected to Ethernet or Cellular network for interface to POS, back office PC, or remote locations
- ▶ Advanced accounting features allow for extensive list of reports
- ▶ Supports network downloads for software upgrades or for new currency releases
- ▶ Customized reports can be downloaded from a remote location
- ▶ Storage for 48,000 financial and security transactions to better facilitate auditing

### WARRANTY

- ▶ 1 year parts and 90 days labor (US only)
- ▶ 1 year parts only (International)





Since our founding in 1978, Tidel has been at the forefront of new product innovations that have greatly improved how retail institutions manage their cash operations.

The Tidel Series 3 is a strong testament to our heritage. Since its introduction in 2014, the Series 3 has helped numerous organizations reach new levels of automation, efficiency, transparency, and security in how they handle their cash. The impact a Series 3 can have on an organization is undeniable, and we are proud to see our customers reap the benefits.



**Bnext**<sup>®</sup>

Monterrey | Chihuahua | Ciudad de México | Guadalajara | Mazatlán

Tel. +52 (81) 8881 1080 Ext 1004 Cel. +52 (81) 2747 6654 E-mail. [lcardenas@bnext.mx](mailto:lcardenas@bnext.mx)